


Introduction




This blue goose, designed by J.N. "Ding" Darling, has become the symbol of the National Wildlife Refuge System.

Great blue heron

Welcome to Rachel Carson National Wildlife Refuge. The refuge consists of eleven separate divisions located on the coast between Portland and Kittery in southern Maine. Approximately 5,400 acres have been acquired out of the 14,684 acre current acquisition boundary. When completed, each refuge division will include a tidal waterway, the surrounding marsh and adjacent uplands. Forty-five percent of the habitat protected as refuge is coastal and freshwater wetlands, the remaining habitat is upland, forest, fields and shrublands.





Most birds are migratory, therefore, their seasonal occurrence is coded as follows:

Season

| \mathbf{Sp} | spring | March – May |
|---------------|--------|----------------------|
| ${f S}$ | summer | June – August |
| \mathbf{F} | fall | September – November |
| \mathbf{W} | winter | December – February |

•Birds known to nest on or near the refuge

"(A)" = accidental/casual in AOU area "(I)" = introduced into AOU area

Relative Abundance

Relative abundance suggests how frequently you might see or hear a particular bird in its favored habitat.

 $\begin{array}{ll} \textbf{a} & \text{abundant} \\ \textbf{c} & \text{common} \end{array} \quad \begin{array}{ll} \text{a species which is very numerous} \\ \text{likely to be seen or heard in suitable} \\ \text{habitat} \end{array}$

u uncommon present, but not certain to be seen
o occasional seen only a few times during a season
r rare may be present but not every year



| | Sp | S | F | w |
|-----------------------|----|---|---|---|
| SWANS - GEESE - DUCKS | | | | |
| Snow Goose | 0 | | 0 | |
| Brant (Atlantic) | 0 | r | u | r |
| • Canada Goose | a | a | a | 0 |
| • Mute Swan (I) | 0 | 0 | 0 | 0 |
| • Wood Duck | 0 | 0 | 0 | |
| Gadwall | 0 | r | 0 | |
| American Wigeon | 0 | | 0 | r |
| American Black Duck | a | u | a | r |
| • Mallard | c | u | c | c |
| *Blue-winged Teal | 0 | 0 | 0 | 0 |
| Northern Shoveler | 0 | | r | |
| Northern Pintail | 0 | | u | c |
| *Green-winged Teal | u | 0 | c | |
| Ring-necked Duck | 0 | | 0 | r |
| Greater Scaup | r | | 0 | |
| King Eider | r | | r | r |
| • Common Eider | c | u | u | a |
| Harlequin Duck | | | | r |
| Surf Scoter | 0 | r | u | c |
| White-winged Scoter | u | r | u | c |
| Black Scoter | 0 | r | u | c |
| Long-tailed Duck | u | | 0 | 0 |
| Bufflehead | c | | c | c |
| Common Goldeneye | u | | u | c |

^{*} Probable or irregular breeder on or near refuge Italics indicate threatened/endangered species

| | | | | | | Sp | s | F | w |
|--|-------|------|---|-----|-----------------------------|----|-----------|---|---|
| | | | | | Snowy Egret | c | a | c | |
| Parffe | d ann | 2122 | | | Little Blue Heron | O | 0 | 0 | |
| Ruffee | a gro | use | | | Tricolored Heron | r | 0 | r | |
| | | | | | • Green Heron | u | c | 0 | |
| | | | | | | | | | |
| The state of the s | | | | | | | | | |
| The state of the s | Sp | S | F | W | * Black-crowned Night-Heron | О | c | u | |
| Damery's Caldenava | - | | | | Yellow-crowned Night-Heron | r | r | r | |
| Barrow's Goldeneye | r | | r | r | IDIOCO | | | | |
| *Hooded Merganser | 0 | 0 | 0 | 0 | IBISES | | | | |
| Common Merganser Red-breasted Merganser | 0 | r | 0 | 0 | Glossy Ibis | О | u | r | |
| Red-breasted Merganser | c | 0 | a | c | NEW WORLD VULTURES | | | | |
| GALLINACEOUS BIRDS | | | | | | | | | |
| • Ring-necked Pheasant (I) | r | r | r | r | Turkey Vulture | О | u | c | r |
| • Ruffed Grouse | 0 | 0 | 0 | 0 | OSPREY - HAWKS - EAGLES | | | | |
| • Wild Turkey | u | u | u | u | • Osprey | u | c | u | |
| Who furkey | и | и | и | u u | Bald Eagle | 0 | 0 | 0 | 0 |
| LOONS | | | | | Northern Harrier | 0 | 0 | u | 0 |
| Red-throated Loon | o | r | u | u | * Sharp-shinned Hawk | 0 | 0 | u | 0 |
| Common Loon | c | 0 | c | c | *Cooper's Hawk | u | 0 | u | u |
| | | | | | * Northern Goshawk | 0 | 0 | 0 | 0 |
| GREBES | | | | | * Red-shouldered Hawk | 0 | 0 | 0 | r |
| Pied-billed Grebe | 0 | 0 | 0 | | * Broad-winged Hawk | 0 | 0 | 0 | |
| Horned Grebe | О | r | 0 | u | • Red-tailed Hawk | u | c | u | u |
| Red-necked Grebe | 0 | r | 0 | u | Rough-legged Hawk | r | | r | 0 |
| SHEARWATERS | | | | | | | | | |
| Cory's Shearwater | | r | r | | | | | | |
| Great Shearwater | | r | r | | Kestrel | | | | |
| Sooty Shearwater | | r | r | | | | | | |
| Manx Shearwater | | r | r | | | | | | |
| STORM-PETRALS | | | | | | | | | |
| Wilson's Storm-Petrel | | 0 | r | | | | | | |
| Leach's Storm-Petrel | | r | r | | | | | | |
| BOOBIES - GANNETS | | | | | | | | | |
| Northern Gannet | u | 0 | u | 0 | FALCONS | | | | |
| CORMORANTS | | | | | * American Kestrel | 0 | 0 | 0 | |
| Double-crested Cormorant | c | a | c | r | Merlin | 0 | 0 | u | r |
| Great Cormorant | 0 | a | 0 | u | Peregrine Falcon | 0 | 0 | 0 | r |
| BITTERNS - HERONS - EGRETS | | | U | u u | RAILS | | | | |
| | | _ | | | Virginia Rail | | 0 | 0 | |
| American Bittern | 0 | 0 | 0 | | Sora | | $^{ m o}$ | 0 | |
| Great Blue Heron | c | a | c | 0 | American Coot | r | 1 | r | |
| Great Egret | u | a | c | | | | | | |

| | Sp | s | F | w | | Sp | S | F | w |
|----------------------------|----|---|---|---|----------------------------|---|--------------|--------------|--------|
| PLOVERS | | | | | * Wilson's Snipe | 0 | r | 0 | r |
| Black-bellied Plover | u | c | a | | • American Woodcock | | 0 | 0 | r |
| American Golden-Plover | r | 0 | 0 | | Wilson's Phalarope | . 0 | 0 | 0 | • |
| Semipalmated Plover | u | a | c | | Red-necked Phalarope | \mathbf{r} | r | \mathbf{r} | |
| Piping Plover | 0 | u | 0 | | | | 1 | - | |
| • Killdeer | u | c | u | r | GULLS - TERNS | | | | |
| OYSTERCATCHERS | | | | | Black-legged Kittiwake | . r | | r | r |
| | | | | | Bonaparte's Gull | | u | u | r |
| • American Oystercatcher | О | 0 | | | Little Gull | | 0 | 0 | |
| SANDPIPERS - PHALAROPES | | | | | Laughing Gull | . 0 | 0 | 0 | |
| • Spotted Sandpiper | o | u | 0 | | Ring-billed Gull | a | c | a | a |
| Solitary Sandpiper | 0 | 0 | 0 | | Herring Gull | a | a | a | a |
| Greater Yellowlegs | u | c | c | | Iceland Gull Glaucous Gull | | | r | 0 |
| • Willet (Eastern) | c | c | 0 | | Great Blacked backed Gull | r a | a | 9 | r a |
| Lesser Yellowlegs | u | u | c | | Least Tern | | c | a | а |
| Upland Sandpiper | | r | | | | \mathbf{r} | 0 | r | |
| Whimbrel | r | u | 0 | | Black Tern Roseate Tern | . 0 | 0 | 1 | |
| Hudsonian Godwit | | 0 | 0 | | • Common Tern | u | c | u | |
| Marbled Godwit | | 0 | 0 | | Arctic Tern | | 0 | и | |
| Ruddy Turnstone | 0 | u | 0 | r | Forster's Tern | r | \mathbf{r} | 0 | |
| Red Knot | o | 0 | 0 | | | | 1 | U | |
| Sanderling | 0 | u | u | r | SQUAS - JAEGERS | | | | |
| Semipalmated Sandpiper | u | a | c | | Parasitic Jaeger | | r | r | |
| Western Sandpiper | | 0 | O | | | | | | |
| Least Sandpiper | u | a | c | | AUKS - PUFFINS | | | | |
| White-rumped Sandpiper | | u | u | | Dovekie | | | | r |
| Baird's Sandppiper | | r | 0 | | Common Murre | | | | r |
| Pectoral Sandpiper | 0 | 0 | u | | Thick-billed Murre | | | | r |
| Purple Sandpiper | r | | r | r | Razorbill | . r | | | r |
| Dunlin | 0 | r | c | r | Black Guillemot | . r | | | r |
| Stilt Sandpiper | | 0 | О | | PIGEONS - DOVES | | | | |
| Buff-breasted Sandpiper | | r | r | | • Rock Pigeon (I) | | a | | |
| Ruff | r | r | r | | • Mourning Dove | a a | a | a a | a c |
| Short-billed Dowitcher | u | a | c | | • Mourning Dove | . а | а | а | C |
| Long-billed Dowitcher | | 0 | 0 | | CUCKOOS - ANIS | | | | |
| | | | | | • Yellow-billed Cuckoo | r | r | 0 | |
| | | | | | • Black-billed Cuckoo | О | u | 0 | |
| | | | | | TYPICAL OWLS | | | | |
| | | | | | • Great Horned Owl | u | u | u | u |
| | | | | | Snowy Owl | $\begin{array}{c} \mathbf{u} \\ \mathbf{r} \end{array}$ | и | r | r |
| | ? | | | | - Showy Owl | . i | u | u | u |
| Killdeer | | | | | Long-eared Owl | r | u | u | r |
| | | | | | Short-eared Owl | $\overset{\mathbf{r}}{\mathbf{r}}$ | | r | 0 |
| | 3 | | | | * Northern Saw-whet Owl | . 1 | 0 | u | 0 |
| Samuel Marie Marie Control | | | | | | | | | |


| | Sp | S | F | W |
|-------------------------------------|----|---|---|---|
| NIGHTJARS | | | | |
| Common Nighthawk | r | 0 | 0 | |
| • Whip-poor-will | r | 0 | | |
| SWIFTS | | | | |
| Chimney Swift | О | u | r | |
| HUMMINGBIRDS | | | | |
| • Ruby-throated Hummingbird | o | u | u | |
| KINGFISHERS | | | | |
| • Belted Kingfisher | u | c | c | r |
| WOODPECKERS | | | | |
| • Red-bellied Woodpecker | o | 0 | o | u |
| Yellow-bellied Sapsucker | 0 | r | u | r |
| Downy Woodpecker | a | c | a | a |
| • Hairy Woodpecker | u | u | u | u |
| Northern Flicker | u | c | c | r |
| Pileated Woodpecker | u | 0 | 0 | 0 |
| TYRANT FLYCATCHERS | | | | |
| Olive-sided Flycatcher | 0 | 0 | | |
| • Eastern Wood-pewee | 0 | c | r | |
| Yellow-bellied Flycatcher | r | r | r | |
| • Alder Flycatcher | o | u | r | |
| • Willow Flycatcher | u | u | r | |
| * Least Flycatcher | u | u | 0 | |
| * Least Flycatcher • Eastern Phoebe | u | c | u | |
| • Great-crested Flycatcher | u | c | 0 | |
| Western Kingbird | | | r | |
| • Eastern Kingbird | u | c | 0 | |
| SHRIKES | | | | |
| Northern Shrike | r | | r | 0 |



VIREOS

| Yellow-throated Vireo | r | r | | |
|-----------------------|---|---|---|---|
| Blue-headed Vireo | u | u | u | |
| Warbling Vireo | r | 0 | | |
| Philadelphia Vireo | r | | 0 | |
| • Red-eyed Vireo | 0 | c | c | |
| CROWS - JAYS | | | | |
| • Blue Jav | a | a | a | a |

Sp



| 9 | | 9 | |
|---|-----------------------|---------------------------------------|---------------------------------------|
| | - | | а |
| 0 | 0 | 0 | ι |
| | | | |
| o | | 0 | ι |
| | | | |
| 0 | 0 | | |
| u | a | c | |
| o | u | | |
| 0 | u | 0 | |
| 0 | 0 | | |
| 0 | c | u | |
| | | | |
| c | c | c | c |
| u | u | u | u |
| | | | |
| c | 0 | u | c |
| | | | ď |
| | 0 0 u 0 0 0 0 0 c u u | 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 | 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 |

_ • Brown Creeper _____




| | Sp | S | F | w |
|--------------------------|----|---|---|---|
| WRENS | | | | |
| • Carolina Wren | 0 | u | u | 0 |
| • House When | 0 | u | 0 | |
| * Winter Wren | 0 | 0 | 0 | |
| •Marsh Wren | 0 | 0 | 0 | |
| KINGLETS | | | | |
| * Golden-crowned Kinglet | 0 | r | c | 0 |
| Ruby-crowned Kinglet | 0 | r | u | r |
| GNATCATCHERS | | | | |
| * Blue-gray Gnatcatcher | r | r | r | |
| THRUSHES | | | | |
| • Eastern Bluebird | 0 | u | u | 0 |
| • Veery | 0 | u | 0 | |
| Swainson's Thrush | 0 | | 0 | |
| - Hermit Thrush | u | u | u | r |
| • Wood Thrush | 0 | u | r | |
| • American Robin | c | a | a | u |
| MOCKINGBIRDS - THRASHERS | | | | |
| • Gray Catbird | c | a | c | r |
| Northern Mockingbird | u | c | u | 0 |
| Brown Thrasher | u | u | 0 | |



| | Sp | S | F | w |
|--------------------------------|------|--------------|---|---|
| STARLINGS | | | | |
| • European Starling (I) | a | a | a | c |
| | - Ct | C. | a | |
| PIPIT | | | | |
| American Pipit | 0 | | u | r |
| WAXWINGS | | | | |
| Bohemian Waxwing | r | | | r |
| • Cedar Waxwing | 0 | a | c | u |
| WOOD WARBLERS | | | | |
| * Blue-winged Warbler | r | r | r | |
| Tennessee Warbler | 0 | 1 | 0 | |
| Orange-crowned Warbler | U | | 0 | r |
| • Nashville Warbler | u | u | u | 1 |
| Northern Parula | u | 0 | u | |
| • Yellow Warbler | u | a | 0 | |
| • Chestnut-sided Warbler | 0 | u | u | |
| • Magnolia Warbler | u | u | u | |
| Cape May Warbler | 0 | o. | 0 | |
| * Black-throated Blue Warbler | u | 0 | u | |
| * Yellow-rumped Warbler | c | u | a | 0 |
| • Black-throated Green Warbler | c | c | u | |
| * Blackburnian Warbler | 0 | 0 | u | |
| • Pine Warbler | u | c | u | |
| * Prairie Warbler | 0 | 0 | 0 | |
| Palm Warbler | u | | u | |
| Bay-breasted Warbler | 0 | | 0 | |
| Blackpoll Warbler | u | | u | |
| • Black-and-White Warbler | u | c | u | |
| • American Redstart | u | c | u | |
| • Ovenbird | 0 | c | 0 | |
| Northen Waterthrush | 0 | 0 | r | |
| * Louisiana Waterthrush | r | \mathbf{r} | | |
| Mourning Warbler | r | r | r | |
| • Common Yellowthroat | u | a | c | |
| Wilson's Warbler | 0 | \mathbf{r} | u | |
| • Canada Warbler | 0 | 0 | 0 | |
| Yellow-breasted Chat | | | r | r |
| SPARROWS - TOWHEES | | | | |
| • Eastern Towhee | u | c | u | r |
| American Tree Sparrow | 0 | | u | c |
| • Chipping Sparrow | u | \mathbf{c} | c | |
| Clay-colored Sparrow | | | 0 | |
| • Field Sparrow | 0 | 0 | u | |
| Vesper Sparrow | r | \mathbf{r} | О | |
| | | | | |

| | Sp | S | F | W |
|---|----|---|---|---|
| • Savannah Sparrow | u | c | u | r |
| • Nelson's Sparrow | 0 | c | 0 | |
| • Saltmarsh Sparrow | 0 | c | r | |
| Seaside Sparrow | | r | | |
| Fox Sparrow | 0 | | 0 | r |
| • Song Sparrow | c | a | c | u |
| Lincoln's Sparrow | 0 | | u | |
| • Swamp Sparrow_ • White-throated Sparrow_ | 0 | u | u | r |
| • White-throated Sparrow | u | 0 | c | 0 |
| White-crowned Sparrow | 0 | | u | r |
| * Dark-eyed Junco | c | 0 | c | a |
| Lapland Longspur | 0 | | 0 | r |
| Snow Bunting | u | | u | 0 |
| CARDINALS - GROSBEAKS - ALLIES | | | | |
| • Scarlet Tanager | 0 | u | 0 | |
| • Northern Cardinal | c | c | c | c |
| • Rose-breasted Grosbeak | u | u | 0 | |
| • Indigo Bunting | 0 | u | 0 | |
| Dickcissel | | | 0 | r |
| BLACKBIRDS - ORIOLES | | | | |
| • Bobolink | u | c | 0 | |
| - Red-winged Blackbird | a | a | c | r |
| • Eastern Meadowlark | 0 | 0 | 0 | r |
| Rusty Blackbird | 0 | r | 0 | |
| • Common Grackle | a | a | c | r |
| | | | | |





| | Sp | S | F | W |
|--------------------------|----|---|---|---|
| • Brown-headed Cowbird | c | c | c | r |
| *Orchard Oriole | r | 0 | | |
| Baltimore Oriole | 0 | u | 0 | |
| FINCHES | | | | |
| Pine Grosbeak | r | | r | r |
| • Purple Finch | u | u | c | 0 |
| • House Finch | c | a | a | u |
| * Red Crossbill | r | r | r | r |
| * White-winged Crossbill | r | r | r | r |
| Common Redpoll | r | | r | r |
| *Pine Siskin | 0 | r | 0 | 0 |
| American Goldfinch | c | a | a | c |
| • Evening Grosbeak | 0 | 0 | 0 | 0 |
| OLD WORLD SPARROWS | | | | |
| • House Sparrow (I) | a | a | a | c |

ACCIDENTALS

These additional 26 species are considered accidentals:

Tundra Swan White-winged Tern (A)


Canvasback Royal Tern
Ruddy Duck Black Skimmer
Northern Bobwhite Great Gray Owl

Cattle Egret Scissor-tailed Flycatcher

Clapper Rail Gray Jay Common Moorhen Cave Swallow Pacific Golden-Plover Boreal Chickadee Gray-cheeked Thrush American Avocet Curlew Sandpiper Bicknell's Thrush Black-headed Gull Worm-eating Warbler Sooty Tern Summer Tanager Caspian Tern Hoary Redpoll

TIPS FOR FIELD I.D.

The identification of birds is greatly aided by simply noting a few key field marks. The diagram below illustrates several of these. In addition, general size, color, habitat, song and behavior help narrow down the options. Remember, use more than one field mark, as many species are similar and can only be distinguished by using a combination of several marks.



NOTES

| Location | |
|-----------|--------|
| Date | _ Time |
| Observers | |
| Weather | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |